REV.	ZONE	ECN NO.	DATE	BY	CKR	APP.

Controls, C-AD 5/15/2003 2:14 PM 8720.dwg



-3	-2	-1	REF DESIGNATOR	ITEM NO.	DESCRIPTION	MAT'L DWG NO._BNL NO.
QTY REQD						

INTERPRET IN GENERAL ACCORDANCE WITH ASME Y14.24M–1989	Q.A. CATEGORY A–3	DATE	BROOKHAVEN NATIONAL LABORATORY
	DRAWN BY: Ed Koropsak	5/15/03	UPTON, N.Y. 11973
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	CHECKED BY		RHIC CONTROLS
DECIMAL TOLERANCES .X ±.030 .XX ±.015 .XXX ±.005 ANGULAR TOLERANCE ± .5°	DESIGN APPROVAL		SERVICE BLDG 1002A TUNE METER
	ENGINEER APPROVAL: Rob Michnoff		FLOOR LAYOUT
	SUPVR. APPROVAL		SIZE D — 94028720 — REV. A
OUTSTANDING ECN	NA FINISH	BREAK SHARP EDGES MAX. XX MIN. XX	NEXT ASSEMBLY — DRAWING NUMBER
			MATERIAL: — SCALE: FULL — WEIGHT: — SHEET 1

REV.	ZONE	ECN NO.	DATE	BY	CKR	APP.

BNL, BNL 4/19/00 9:54 AM 8822.dwg

FRONT VIEW



REAR VIEW



-3	-2	-1	REF DESIGNATOR	ITEM NO.	DESCRIPTION	MAT'L DWG NO.,BNL NO.
		AR	NA	10	10x32 SCREWS 1/2" BINDHEAD SCREWS	T-32276
		AR	NA	9	BLANK PANELS	X
		1	NA	8	2U TERMINAL BLOCK PANEL	X
		8	NA	7	HIGH VOLTAGE SWITCHES	X
		1	NA	6	LAMBDA EMI MODEL 402L POWER SUPPLY	X
		1	NA	5	1U x 19" BLANK PANEL (PREMIER METAL ARP-119-553)	X
		1	NA	4	DAMPER HIGH VOLTAGE SWITCH POWER SUPPLY	X
		1	NA	3	DAMPER PATCH PANEL	X
		1	NA	2	SCOPE PATCH PANEL	X
		1	NA	1	19" RACK, 77" H RACK SPACE	X

QTY REQD

INTERPRET IN GENERAL ACCORDANCE WITH ASME Y14.24M-1989

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

DECIMAL TOLERANCES
.X ±.030
.XX ±.015
.XXX ±.005
ANGULAR TOLERANCE ± .5°

OUTSTANDING ECN

NA
FINISH

BREAK SHARP EDGES
MAX. XX MIN. XX

Q.A. CATEGORY A-3

NEXT ASSEMBLY

DRAWN BY	Al Watson	3/8/00
CHECKED BY		
DESIGN APPROVAL		
ENGINEER APPROVAL		
SUPVR. APPROVAL		

DATE

BROOKHAVEN NATIONAL LABORATORY
UPTON, N.Y. 11973
RHIC CONTROLS
SERVICE BLDG. 1002A TUNE METER
RACK R029

SIZE D | 94028822 | REV. A
DRAWING NUMBER

MATERIAL: | SCALE: FULL | WEIGHT: | SHEET 1

*AUTOCAD

REV.	ZONE	ECN NO.	DATE	BY	CKR	APP.

Controls, C-AD 5/27/2003 1:26 PM 8823.dwg

FRONT VIEW



REAR VIEW



		1	NA	19	BUFFERED MADC I/O POWER SUPPLY	94028808
		2	NA	18	TIMELINE FANOUT ASSEMBLY	D09-E2442
		2	NA	17	BEAM SYNC FANOUT	94028772
		2	NA	16	PROGRAMMABLE VARIABLE ATTENUATOR	82045020
		AR	NA	15	10x32 1/2" BINDHEAD MACHINE SCREWS	T-32276
		AR	NA	14	BLANK PANELS	X
		1	NA	13	TB3/TB4 TERMINAL PANEL	X
		1	NA	12	TB1/TB2 TERMINAL PANEL	X
		4	NA	11	WIRE DUCT SNAP CLIPS 1.5"W (PANDUIT SNS1.5-C)	X
		2	NA	10	WIRE DUCT COVER 1.5"W (PANDUIT C1.5LG6)	X
		2	NA	9	WIRE DUCT 1.5"W x 4"D (PANDUIT E1.5x4LG6)	X
		1	NA	8	MADC I/O PANEL	94028183
		1	NA	7	NIM CHASSIS NIM-2A-TVDAMP1	
		1	NA	6	GROMMET PANEL	94028410
		1	NA	5	VME CHASSIS CEX-2A-TVDAMP1	X
		1	NA	4	VME CHASSIS CFE-2A-TVDAMP1	X
		1	NA	3	2U x 19' BLANK PANEL (PREMIER METAL ARP-319-553)	X
		3	NA	2	1U x 19" BLANK PANEL (PREMIER METAL ARP-119-553)	X
		2	NA	1	19" RACK, 77" H RACK SPACE	X
-3	-2	-1	REF DESIGNATOR	ITEM NO.	DESCRIPTION	MAT'L DWG NO.,BNL NO.
QTY REQD						

INTERPRET IN GENERAL ACCORDANCE WITH ASME Y14.24M-1989	Q.A. CATEGORY A-3	DATE	BROOKHAVEN NATIONAL LABORATORY
	DRAWN BY Ed Koropsak	5/15/03	UPTON, N.Y. 11973
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	CHECKED BY		RHIC CONTROLS
DECIMAL TOLERANCES .X ±.030 .XX ±.015 .XXX ±.005 ANGULAR TOLERANCE ± .5°	DESIGN APPROVAL		SERVICE BLDG. 1002A DAMPER
	ENGINEER APPROVAL Rob Michnoff		RACK R0210
	SUPVR. APPROVAL		SIZE D — 94028823 — REV. A (DRAWING NUMBER)
NA FINISH	BREAK SHARP EDGES MAX. XX MIN. XX	NEXT ASSEMBLY	MATERIAL: SCALE: FULL WEIGHT: SHEET 1
OUTSTANDING ECN			

*AUTOCAD

REV.	ZONE	ECN NO.	DATE	BY	CKR	APP.

Controls, C-AD 5/27/2003 1:33 PM 8824.dwg

FRONT VIEW



REAR VIEW





QTY REQD -3	QTY REQD -2	QTY REQD -1	REF DESIGNATOR	ITEM NO.	DESCRIPTION	MAT'L DWG NO./BNL NO.
		X	X	X	X	X
		X	X	X	X	X
		1	X	14	3U x 19' BLANK PANEL (PREMIER METAL ARP-519-553)	X
		1	N/A	15	1U x 19' BLANK PANEL (PREMIER METAL ARP-119-553)	X
		2	NA	13	GROMMET PANEL	94028410
		AR	PANELS	12	10-32 x 1/2" BINDING HEAD MACHINE SCREWS	T-32276
		AR	NA	11	BLANK PANELS	X
		3	A,B,C	10	FANOUT ASSEMBLY	DO9-E2442
		4	NA	9	WIRE DUCT CLIPS 1.5" (PANDUIT SNS1.5-C)	X
		2	NA	8	WIRE DUCT COVER (PANDUIT C1.5LG6)	X
		2	NA	7	WIRE DUCT 1.5"W x 4"D (PANDUIT E1.5x4LG6)	X
		2	NA	6	PROGRAMMABLE VARIABLE ATTENUATOR	82045020
		1	NA	5	NIM CHASSIS NIM-2A-TUNE1	X
		2	NA	4	NIM PATCH PANEL	X
		1	NA	3	VME CHASSIS CEX-2A-TUNE1	94028825
		1	NA	2	VME CHASSIS CFE-2A-TUNE1	94028825
		2	NA	1	19" RACK, 77" H RACK SPACE	X

INTERPRET IN GENERAL ACCORDANCE WITH ASME Y14.24M-1989

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

DECIMAL TOLERANCES
.X ±.030
.XX ±.015
.XXX ±.005
ANGULAR TOLERANCE
± .5°

OUTSTANDING ECN

NA
FINISH

BREAK SHARP EDGES
MAX. XX MIN. XX

Q.A. CATEGORY A-3

DRAWN BY	Ed Koropsak	5/15/03
CHECKED BY		
DESIGN APPROVAL		
ENGINEER APPROVAL	Rob Michnoff	
SUPVR. APPROVAL		

DATE

NEXT ASSEMBLY

BROOKHAVEN NATIONAL LABORATORY
UPTON, N.Y. 11973
RHIC CONTROLS
SERVICE BLDG. 1002A TUNE METER
Rack R0211

SIZE D
94028824
DRAWING NUMBER
REV. A

MATERIAL:
SCALE: FULL
WEIGHT:
SHEET 1

*AUTOCAD

REV.	ZONE	ECN NO.	DATE	BY	CKR	APP.

Controls, C-AD 6/2/2003 1:11 PM tvdamp1Vme.dwg

FRONT VIEW



REAR VIEW



NOTE 1:

ALL UNUSED SLOTS REQUIRE BLANK PANELS.

QTY REQD	REF DESIGNATOR	ITEM NO.	DESCRIPTION	MAT'L DWG NO.,BNL NO.
		12		
1	SLOT 21	11	BIT 3 BUS EXTENDER	MODEL 418-101
24	SEE NOTE 1	10	VME BLANK PANEL (ELECTRO-SPACE ESFE-2985)	
2	SLOT 10,16	9	V128 I/O MODULE	94028877
4	SLOT 6-9,12-15	8	V129 RHIC TRANSVERSE DAMPER MODULE	XXXXXXX
4	SLOT 4,5,11,12	7	V124 BEAM SYNC TRIGGER MODULE	94028432
1	CABLE	6	BIT 3 BUS CABLE B	82004119-1M
1	CABLE	5	BIT 3 BUS CABLE A	82004118-1M
1	SLOT 3	4	V108 UTILITY MODULE	94028094
1	SLOT 2	3	MEMORY MODULE	MM-6702
1	SLOT 1	2	FRONT END COMPUTER (MOTOROLA)	MVME-2112-1
1	N/A	1	VME CHASSIS	RHIC-93008000

INTERPRET IN GENERAL ACCORDANCE WITH ASME Y14.24M-1989

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

DECIMAL TOLERANCES
.X ±.030
.XX ±.015
.XXX ±.005
ANGULAR TOLERANCE
± .5°

NA FINISH

BREAK SHARP EDGES
MAX. XX MIN. XX

OUTSTANDING ECN

Q.A. CATEGORY A-3

DRAWN BY	Rob Michnoff	7/19/2002
CHECKED BY		
DESIGN APPROVAL		
ENGINEER APPROVAL		
SUPVR. APPROVAL		

NEXT ASSEMBLY

DATE

BROOKHAVEN NATIONAL LABORATORY
UPTON, N.Y. 11973
RHIC CONTROLS
BLDG. 1002A INJECTION TRANSVERSE DAMPER
VME CHASSIS CFE-2A-TVDAMP1

SIZE D | 9402xxxx DRAWING NUMBER | REV. A

MATERIAL: | SCALE: NA | WEIGHT: | SHEET 1

1 *AUTOCAD

REV.	ZONE	ECN NO.	DATE	BY	CKR	APP.

Controls, C-AD 6/2/2003 3:51 PM cex_2a_tvdamp1.dwg

FRONT VIEW



REAR VIEW



NOTE 1:

ALL UNUSED SLOTS REQUIRE BLANK PANELS.

		25	SEE NOTE 1	9	VME BLANK PANEL (ELECTRO-SPACE ESFE-2985)	
		1	SLOT 21	8	V189 ECL TO TTL MODULE	9402885x
		8	SLOT 12-19	7	DUAL 4 To 1 MUX	HP E1366A
		3	SLOT 6-8	6	32 CHAN DIGITIAL OUTPUT MODULE, HIGH CURRENT OUTPUT (300mA)	VMI VME 2170A-210
		2	SLOT 4, 9	5	32 CHAN DIGITAL INPUT MODULE	VMIVME 1160A-201
		1	SLOT 3	4	V109 UTILITY MODULE	94028150
		1	SLOT 2	3	V188 TTL TO ECL MODULE	9402885x
		1	SLOT 1	2	BIT 3 BUS EXTENDER	MODEL 418-101
		1	N/A	1	VME CHASSIS	RHIC-93008000
-3	-2 -1	REF DESIGNATOR		ITEM NO.	DESCRIPTION	MAT'L DWG NO.,BNL NO.
QTY REQD						

INTERPRET IN GENERAL ACCORDANCE WITH ASME Y14.24M-1989	Q.A. CATEGORY A-3	DATE	BROOKHAVEN NATIONAL LABORATORY
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	DRAWN BY Rob Michnoff	9/10/2002	UPTON, N.Y. 11973
DECIMAL TOLERANCES .X ±.030 .XX ±.015 .XXX ±.005 ANGULAR TOLERANCE ± .5°	CHECKED BY		RHIC CONTROLS
	DESIGN APPROVAL		BLDG. 1002A INJECTION TRANSVERSE DAMPER
	ENGINEER APPROVAL		VME CHASSIS CEX-2A-TVDAMP1
	SUPVR. APPROVAL		SIZE D — 9402xxxx — REV. A
NA FINISH — BREAK SHARP EDGES MAX. XX MIN. XX	NEXT ASSEMBLY		DRAWING NUMBER
OUTSTANDING ECN			MATERIAL: — SCALE: NA — WEIGHT: — SHEET 1

*AUTOCAD