REV.	ZONE	ECN NO.	DATE	BY	CKR	APP.

Controls 9/7/99 10:19 AM 8540.dwg



NOTE

M.E. - MAGNET ELECTRICAL
CTRLS - CONTROLS
VAC - VACUUM
B.I. - BEAM INSTRUMENTATION

-3	-2	-1	REF DESIGNATOR	ITEM NO.	DESCRIPTION	MAT'L DWG NO.,BNL NO.
		1	R06B01	5	RACK R06B01 ASSEMBLY	94028541
		1	R06B02	5	RACK R06B02 ASSEMBLY	94028542
		1	R06B03	4	RACK R06B03 ASSEMBLY	94028543
		1	R06B04	3	RACK R06B04 ASSEMBLY	94028544
				2		
		1		1	RHIC CONTROLS BLDG. 1006B WIRING DIAGRAM	94028549

QTY REQD

INTERPRET IN GENERAL ACCORDANCE WITH ASME Y14.24M-1989	Q.A. CATEGORY A-3	DATE	BROOKHAVEN NATIONAL LABORATORY UPTON, N.Y. 11973
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	DRAWN BY Ed Koropsak	1/15/98	RHIC CONTROLS
DECIMAL TOLERANCES .X ±NA .XX ±NA .XXX ±NA ANGULAR TOLERANCE ± .5°	CHECKED BY		
	DESIGN APPROVAL		
	ENGINEER APPROVAL R. MICHNOFF	1/15/98	1006B FLOOR PLAN
	SUPVR. APPROVAL		SIZE D — 94028540 — REV. A
NA FINISH — BREAK SHARP EDGES MAX. XX MIN. XX	NEXT ASSEMBLY		DRAWING NUMBER
OUTSTANDING ECN			MATERIAL: ——— SCALE: NA WEIGHT: – SHEET 1 OF 1

*AUTOCAD

REV.	ZONE	ECN NO.	DATE	BY	CKR	APP.

Controls 9/7/99 10:27 AM8541.dwg



FRONT VIEW



REAR VIEW



QTY REQD -3	QTY REQD -2	QTY REQD -1	REF DESIGNATOR	ITEM NO.	DESCRIPTION	MAT'L DWG NO./BNL NO.
		AR	PANELS	8	10-32 x 1/2" BINDING HEAD MACHINE SCREWS	T-32276
		5	A,B,C,D,E	7	1x8 FIBER OPTIC COUPLER	58030006
		3	NA	6	ETHERNET NETWORK REPEATERS	X
		6	NA	5	FIBER OPTIC PATCH PANEL (FONS RIC 72P)	X
		1	NA	4	4U x 19" BLANK PANEL (PREMIER METAL ARP-719-553)	X
		1	NA	3	3U x 19" BLANK PANEL (PREMIER METAL ARP-519-553)	X
			NA	2		X
		1	NA	1	19" RACK, 77" H RACK SPACE	X

INTERPRET IN GENERAL ACCORDANCE WITH ASME Y14.24M-1989	Q.A. CATEGORY A-3	DATE	BROOKHAVEN NATIONAL LABORATORY
	DRAWN BY Ed Koropsak	6/4/98	UPTON, N.Y. 11973
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	CHECKED BY		RHIC CONTROLS
DECIMAL TOLERANCES .X ±.030 .XX ±.015 .XXX ±.005	DESIGN APPROVAL		SERVICE BLDG. 1006B
ANGULAR TOLERANCE ± .5°	ENGINEER APPROVAL R. MICHNOFF	6/4/98	RACK R06B01 ASSEMBLY
	SUPVR. APPROVAL		SIZE D — 94028541 — REV. A
OUTSTANDING ECN	NA FINISH	BREAK SHARP EDGES MAX. XX MIN. XX	NEXT ASSEMBLY — DRAWING NUMBER
			MATERIAL: ——— SCALE: NA WEIGHT: – SHEET 1 OF 1

*AUTOCAD

REV.	ZONE	ECN NO.	DATE	BY	CKR	APP.

ACS, BNL 1/13/99 7:35 PM8542.dwg



FRONT VIEW



REAR VIEW



-3	-2	-1	REF DESIGNATOR	ITEM NO.	DESCRIPTION	MAT'L. DWG NO.,BNL NO.
				15		
				14		
		AR	PANELS	13	10-32 x 1/2" BINDING HEAD MACHINE SCREWS	T-32276
		6	NA	12	WIRING DUCT SPRING CLIPS 1.5"W (PANDUIT S1.5-C)	X
		3	NA	11	WIRING DUCT COVER 1.5"w (PANDUIT C1.5LG6)	X
		3	NA	10	WIRING DUCT 1.5"W x 4"D (PANDUIT E1.5X4LG6)	X
		3	A,B,C	9	FANOUT ASSEMBLY	D09-E2442
		1	NA	8	FIBER OPTIC DELAY CHASSIS ASSY.	94028277
		1	NA	7	8U x 19" BLANK PANEL (PREMIER METAL ARP-1419-553)	X
		1	NA	6	F/O CHASSIS A	94028545
		3	NA	5	4U x 19" BLANK PANEL (PREMIER METAL ARP-719-553)	X
		1	NA	4	6U x 19" BLANK PANEL (PREMIER METAL ARP-1019-553)	X
		2	NA	3	3U x 19" BLANK PANEL (PREMIER METAL ARP-519-553)	X
		2	NA	2	1U x 19" BLANK PANEL (PREMIER METAL ARP-119-553)	X
		1	NA	1	19" RACK, 77" H RACK SPACE	X

QTY REQD

INTERPRET IN GENERAL ACCORDANCE WITH ASME Y14.24M-1989

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

DECIMAL TOLERANCES
.X ±.030
.XX ±.015
.XXX ±.005
ANGULAR TOLERANCE
± .5°

NA FINISH

BREAK SHARP EDGES
MAX. XX MIN. XX

OUTSTANDING ECN

Q.A. CATEGORY A-3		DATE
DRAWN BY	Ed Koropsak	1/15/98
CHECKED BY		
DESIGN APPROVAL		
ENGINEER APPROVAL	R. MICHNOFF	1/15/98
SUPVR. APPROVAL		
NEXT ASSEMBLY		

BROOKHAVEN NATIONAL LABORATORY
UPTON, N.Y. 11973

RHIC CONTROLS

SERVICE BLDG. 1006B

RACK R06B02 ASSEMBLY

SIZE D | 94028542 | REV. A

DRAWING NUMBER

MATERIAL: ——— | SCALE: NA | WEIGHT: – | SHEET 1 OF 1

*AUTOCAD

REV.	ZONE	ECN NO.	DATE	BY	CKR	APP.

CONTROLS- 5/8/01 3:32 PM 8543.dwg



QTY REQD -3	QTY REQD -2	QTY REQD -1	REF DESIGNATOR	ITEM NO.	DESCRIPTION	MAT'L DWG NO.,BNL NO.
		1	NA	17	BUFFERED MADC I/O POWER SUPPLY	94028808
		1	NA	16	AC POWER RESET MODULE	D09-E2653
		1	NA	15	VME CHASSIS CFE-6B-VAC	94028715
		AR	NA	14	10-32 x 1/2" BINDING HEAD MACHINE SCREWS	T-32276
		1	NA	13	BEAM PERMIT SYSTEM INTERFACE PANEL	94028215
		2	NA	12	1U x 19" BLANK PANEL (PREMIER METAL ARP-119-553)	X
		1	A	11	DUAL 1X4 MM COUPLER	58030008
		8	A-H	10	BUFFERED MADC A/D I/O PANEL	94028670
		2	A,B	9	FANOUT ASSEMBLY	D09-E2442
		1	NA	8	VME CHASSIS CFE-6B-PS1 ASSY.	94028546
		1	NA	7	2U x 19" BLANK PANEL (PREMIER METAL ARP-319-553)	X
		14	NA	6	WIRING DUCT SNAP CLIPS 1.5"W (PANDUIT S1.5-C)	X
		7	NA	5	WIRING DUCT COVER 1.5"W (PANDUIT C1.5LG6)	X
		7	NA	4	WIRING DUCT 1.5"W x 4"D (PANDUIT E1.5X4LG6)	X
		2	NA	3	GROMMET PANEL	94028410
		6	NA	2	3U x 19" BLANK PANEL (PREMIER METAL ARP-519-553)	X
		1	NA	1	19" RACK, 77" H RACK SPACE	X

INTERPRET IN GENERAL ACCORDANCE WITH ASME Y14.24M-1989

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

DECIMAL TOLERANCES
.X ±.030
.XX ±.015
.XXX ±.005
ANGULAR TOLERANCE ± .5°

NA FINISH

BREAK SHARP EDGES MAX. XX MIN. XX

OUTSTANDING ECN

Q.A. CATEGORY A-3

		DATE
DRAWN BY	Ed Koropsak	1/15/98
CHECKED BY		
DESIGN APPROVAL		
ENGINEER APPROVAL	R. MICHNOFF	1/15/98
SUPVR. APPROVAL		

NEXT ASSEMBLY

BROOKHAVEN NATIONAL LABORATORY
UPTON, N.Y. 11973

RHIC CONTROLS

SERVICE BLDG. 1006B

RACK R06B03 ASSEMBLY

SIZE D | DRAWING NUMBER 94028543 | REV. A

MATERIAL: ——— SCALE: NA WEIGHT: – SHEET 1 OF 1

1 *AUTOCAD

REV.	ZONE	ECN NO.	DATE	BY	CKR	APP.

CONTROLS- 3/15/01 1:18 PM 8544.dwg



FRONT VIEW

REAR VIEW

QTY REQD -3	-2	-1	REF DESIGNATOR	ITEM NO.	DESCRIPTION	MAT'L DWG NO.,BAL NO.
		1	NA	16	AC POWER RESET MODULE	D09-E2653
		1	NA	15	1U x 19" BLANK PANEL (PREMIER METAL ARP-119-553)	X
		AR	PANELS	14	10-32 x 1/2" BINDING HEAD MACHINE SCREWS	T-32276
		1	A	13	DUAL 1x4 MM COUPLER	58030008
		4	A,B,C,D	12	MADC A/D I/O PANEL	94028183
		2	A,B	11	FANOUT ASSEMBLY	D09-E2442
		1	NA	10	VME CHASSIS CFE-6B-PS2 ASSY.	94028548
		1	NA	9	9U x 19" BLANK PANEL (PREMIER METAL ARP-)	
		12	NA	8	WIRING DUCT SNAP CLIPS 1.5"W (PANDUIT S1.5-C)	X
		6	NA	7	WIRING DUCT COVER 1.5"W (PANDUIT C1.5LG6)	X
		6	NA	6	WIRING DUCT 1.5"W x 4"D (PANDUIT E1.5X4LG6)	X
		1	NA	5	4U x 19" BLANK PANEL (PREMIER METAL APR-719-553)	
		1	NA	4	2U x 19" BLANK PANEL (PREMIER METAL APR-319-553)	
		1	NA	3	GROMMET PANEL	94028410
		6	NA	2	3U x 19" BLANK PANEL (PREMIER METAL ARP-519-553)	X
		1	NA	1	19" RACK, 77" H RACK SPACE	X

INTERPRET IN GENERAL ACCORDANCE WITH ASME Y14.24M-1989

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

DECIMAL TOLERANCES
.X ±.030
.XX ±.015
.XXX ±.005
ANGULAR TOLERANCE
± .5°

NA FINISH — BREAK SHARP EDGES MAX. XX MIN. XX

OUTSTANDING ECN

Q.A. CATEGORY A-3

		DATE
DRAWN BY	Ed Koropsak	1/15/98
CHECKED BY		
DESIGN APPROVAL		
ENGINEER APPROVAL	R. MICHNOFF	1/15/98
SUPVR. APPROVAL		

NEXT ASSEMBLY

BROOKHAVEN NATIONAL LABORATORY
UPTON, N.Y. 11973

RHIC CONTROLS

SERVICE BLDG. 1006B

RACK R06B04 ASSEMBLY

SIZE D — DRAWING NUMBER 94028544 — REV. A

MATERIAL: — SCALE: NA WEIGHT: — SHEET 1 OF 1

*AUTOCAD



FRONT VIEW



REAR VIEW

QTY REQD -3	QTY REQD -2	QTY REQD -1	REF DESIGNATOR	ITEM NO.	DESCRIPTION	MAT'L DWG NO.,SPEC NO.
		1	SLOT 7	7	3U FIBER OPTIC RECEIVER TRANSISTION MODULE, ECL	D09-E2541-3
		6	ALL UNUSED	6	3U x 6HP BLANK PANEL (ELECTRO-SPACE ESFE-3032)	X
		4	SLOT4,6,8,9	5	3U FIBER OPTIC RECEIVER TRANSITION MODULE, TTL	D09-E2542-3
		5	SLOT4,6,7-9	4	3U FIBER OPTIC RECEIVER MODULE, MULTIMODE/SINGLEMODE	94028101
		2	SLOT 5,6	3	3U FIBER OPTIC TRANSMITTER TRANSITION MODULE, TTL	D09-E2495-3
		2	SLOT 3,5	2	3U FIBER OPTIC TRANSMITTER MODULE, MULTIMODE	94028168
		1	N/A	1	3U FIBER OPTIC CHASSIS	94028261

INTERPRET IN GENERAL ACCORDANCE WITH ASME Y14.24M-1989

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

DECIMAL TOLERANCES
.X ±.030
.XX ±.015
.XXX ±.005
ANGULAR TOLERANCE ± .5°

NA FINISH

BREAK SHARP EDGES
MAX. XX MIN. XX

OUTSTANDING ECN

Q.A. CATEGORY A-3

		DATE
DRAWN BY	Ed Koropsak	11/15/97
CHECKED BY		
DESIGN APPROVAL		
ENGINEER APPROVAL	R. MICHNOFF	1/15/98
SUPVR. APPROVAL		

NEXT ASSEMBLY

BROOKHAVEN NATIONAL LABORATORY
UPTON, N.Y. 11973

RHIC CONTROLS

1006B RACK R06B02

F/O CHASSIS A ASSY.

SIZE D

DRAWING NUMBER 94028545

REV. A

MATERIAL: ——— SCALE: NA WEIGHT: – SHEET 1 OF 1

*AUTOCAD



FRONT VIEW



REAR VIEW

NOTE:

1. ALL UNUSED SLOTS, FRONT AND REAR

-3	-2	-1	REF DESIGNATOR	ITEM NO.	DESCRIPTION	MAT'L DWG NO.,BNL NO.
		1	SLOT 2	12	MEMORY BOARD	MM-6702
		1	SLOT 20,21	11	T120 PERMIT SYSTEM TRANSITION MODULE	94028199-2
		1	SLOT 20	10	V120 PERMIT SYSTEM MODULE	94028077
		x	SEE NOTE 1	9	VME BLANK PANEL (ELECTRO-SPACE ESFE-2985)	
		3	SL 13,16,17	8	T215 WAVEFORM GENERATOR TRANSITION MODULE	94028441-1
		7	8-12,14,15	7	T115 WAVEFORM GENERATOR TRANSITION MODULE	94028441-2
		10	SLOT 8-17	6	V115 WAVEFORM GENERATOR MODULE	94028108
		2	SLOT 5, 7	5	V114 MADC A/D CONVERTER MODULE	94028226
		2	SLOT 4, 6	4	V113 MADC CONTROLLER MODULE	94028140
		1	SLOT 3	3	V108 UTILITY MODULE	94028094
		1	SLOT 1	2	FRONT END COMPUTER	POWER-3e
		1	N/A	1	VME CHASSIS	RHIC-93008000

QTY REQD

INTERPRET IN GENERAL ACCORDANCE WITH ASME Y14.24M-1989

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

DECIMAL TOLERANCES
.X ±.030
.XX ±.015
.XXX ±.005
ANGULAR TOLERANCE ± .5°

OUTSTANDING ECN

NA FINISH

BREAK SHARP EDGES MAX. XX MIN. XX

Q.A. CATEGORY A-3		DATE
DRAWN BY	Ed Koropsak	6/2/98
CHECKED BY		
DESIGN APPROVAL		
ENGINEER APPROVAL	R. MICHNOFF	6/2/98
SUPVR. APPROVAL		

NEXT ASSEMBLY

BROOKHAVEN NATIONAL LABORATORY
UPTON, N.Y. 11973

RHIC CONTROLS

SERVICE BLDG 1006B

VME CHASSIS CFE-6B-PS1

SIZE D | DRAWING NUMBER 94028546 | REV. A

MATERIAL: ——— SCALE: NA WEIGHT: – SHEET 1 OF 1

*AUTOCAD

REV.	ZONE	ECN NO.	DATE	BY	CKR	APP.

CONTROLS- 3/15/01 1:20 PM 8548.dwg



FRONT VIEW



REAR VIEW

NOTE:

1. ALL UNUSED SLOTS, FRONT AND REAR

-3	-2	-1	REF DESIGNATOR	ITEM NO.	DESCRIPTION	MAT'L DWG NO./BNL NO.
		1	SLOT 2	12	MEMORY BOARD	MM-6702
				11		
		1	SLOT 20	10	V102 DELAY MODULE	94028072
		x	SEE NOTE 1	9	VME BLANK PANEL (ELECTRO-SPACE ESFE-2985)	
		3	SL 13,16,17	8	T215 WAVEFORM GENERATOR TRANSITION MODULE	94028441-1
		7	8-12,14,15	7	T115 WAVEFORM GENERATOR TRANSITION MODULE	94028441-2
		10	SLOT 8-17	6	V115 WAVEFORM GENERATOR MODULE	94028108
		1	SLOT 5	5	V114 MADC A/D CONVERTER MODULE	94028226
		1	SLOT 4	4	V113 MADC CONTROLLER MODULE	94028140
		1	SLOT 3	3	V108 UTILITY MODULE	94028094
		1	SLOT 1	2	FRONT END COMPUTER	POWER-3e
		1	N/A	1	VME CHASSIS	RHIC-93008000

QTY REQD

INTERPRET IN GENERAL ACCORDANCE WITH ASME Y14.24M-1989

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

DECIMAL TOLERANCES
.X ±.030
.XX ±.015
.XXX ±.005
ANGULAR TOLERANCE
± .5°

OUTSTANDING ECN

NA FINISH

BREAK SHARP EDGES
MAX. XX MIN. XX

Q.A. CATEGORY A-3		DATE	BROOKHAVEN NATIONAL LABORATORY
DRAWN BY	Ed Koropsak	6/2/98	UPTON, N.Y. 11973
CHECKED BY			RHIC CONTROLS
DESIGN APPROVAL			SERVICE BLDG 1006B
ENGINEER APPROVAL	R. MICHNOFF	6/2/98	VME CHASSIS CFE-6B-PS2
SUPVR. APPROVAL			SIZE D — 94028548 — REV. A
NEXT ASSEMBLY			DRAWING NUMBER

MATERIAL: ——— SCALE: NA WEIGHT: – SHEET 1 OF 1

*AUTOCAD

REV.	ZONE	ECN NO.	DATE	BY	CKR	APP.

CONTROLS- 3/15/01 1:22 PM 8715.dwg



FRONT VIEW



REAR VIEW

NOTE:

1. ALL UNUSED SLOTS, FRONT AND REAR

-3	-2	-1	REF DESIGNATOR	ITEM NO.	DESCRIPTION	MAT'L DWG NO.,SPEC NO.
		1	SLOT 2	5	MEMORY BOARD	MM-6702
		38	NOTE 1	4	VME BLANK PANEL (ELECTRO-SPACE ESFE-2985)	
		1	SLOT 3	3	V108 UTILITY MODULE	94028094
		4	SL 1,4,6,8	2	FRONT END COMPUTER (POWER 3e)	
		1	N/A	1	VME CHASSIS	RHIC-93008000

QTY REQD

INTERPRET IN GENERAL ACCORDANCE WITH ASME Y14.24M-1989

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

DECIMAL TOLERANCES
.X ±.030
.XX ±.015
.XXX ±.005
ANGULAR TOLERANCE ± .5°

OUTSTANDING ECN

NA FINISH

BREAK SHARP EDGES MAX. XX MIN. XX

Q.A. CATEGORY A-3		DATE	BROOKHAVEN NATIONAL LABORATORY
DRAWN BY	Ed Koropsak	6/4/98	UPTON, N.Y. 11973
CHECKED BY			RHIC CONTROLS
DESIGN APPROVAL			SERVICE BLDG 1006B
ENGINEER APPROVAL	R. MICHNOFF	6/4/98	VME CHASSIS CFE-6B-VAC
SUPVR. APPROVAL			
NEXT ASSEMBLY			

SIZE D — DRAWING NUMBER 94028715 — REV. A

MATERIAL: ——— SCALE: FULL WEIGHT: – SHEET 1 OF 1

*AUTOCAD